

Type - Tipo - Typ
Type - Tipo

Size - Grandezza - Grösse
Taille - Tomafío

Mounting - Montaggio
Montage - Fixation
Tipo de montaje

Ratio - Rapporto
Untersetzung
Reduction
Relación


P

702C

-F


6.57

Cast iron coaxial gear boxes
Riduttori coassiali in Ghisa




With IEC motor

M




With motor flange

P



With male input shaft

R



Modular base

B



Not available for:
701C, 801C,
851C, 901C,
852C, 902C,
1002, 1102,
1003, 1103.

1 Stage
Riduzione
Stufe
Trains
Etapas


501C
701C
801C
851C
901C

2 Stages
Riduzioni
Stufen
Trains
Etapas

502C
702C
802C
852C
902C
1002
1102


3 Stages
Riduzioni
Stufen
Trains
Etapas

503C
703C
803C
853C
903C
1003
1103




Without flange / feet

-N



Output flange mounted

-F



Mounted feet

B..

Feet / piedini

Feet Code	Market reference	G	H	R	L
B1	112	18	85	110	
B2	212/3	18	100	130	
S4	17	18	75	110	
S2	27	25	90		
M1	42/3	25	80		
L4	04	13	80		
L5	05	16	100		



















You see feet code in the chart of the dimensions
Vedi codice piede nella tabella delle dimensioni

5



Dossier according to 94/9/EG 8. b ii stored

On request we can deliver our products according to the ATEX
A richiesta possiamo fornire i nostri prodotti secondo le normative ATEX
Auf Anfrage können wir unsere Produkte den Richtlinien ATEX entsprechend liefern
Sur demande nos produits peuvent se conformer à la réglementation ATEX
A pedido, se pueden enviar nuestros productos de acuerdo con las normas ATEX.

Output shaft Albero uscita Abtriebswelle Arbre de sortie Eje en salida	Output flange Flangia uscita Ausgangsflansch Bride de sortie Brida en salida	Motor size - Grandezza motore Motor Grösse Grandeur moteur - Tamaño motor	Terminal box position Posizione morsetteria Klemmkastenlage Position boîte à bornes Posición caja de bornes	Mounting position Posizione montaggio Einbaulage Position de montage Posición de montaje	Coupling Giunto Kupplung Joint Juntura
<p>H</p>  <p>→ STANDARD</p> <p>501C 502C 503C</p> <p>H → ∅30 I → ∅35</p> <p>701C 702C 703C</p> <p>I → ∅35 L → ∅38 M → ∅40</p> <p>801C 802C 803C</p> <p>M → ∅40 P → ∅50</p> <p>851C 852C 853C</p> <p>P → ∅50 J → ∅60</p> <p>901C 902C 903C</p> <p>P → ∅50 J → ∅60</p> <p>1002 1003</p> <p>J → ∅60</p> <p>1102 1103</p> <p>A → ∅70</p>	<p>4</p>  <p>→ STANDARD</p> <p>N Senza flangia Without flange</p> <p>501C 502C 503C</p> <p>3 → ∅160 4 → ∅200 5 → ∅250</p> <p>701C 702C 703C</p> <p>4 → ∅200 5 → ∅250</p> <p>801C 802C 803C</p> <p>5 → ∅250 6 → ∅300</p> <p>851C 852C 853C</p> <p>6 → ∅300 7 → ∅350</p> <p>901C 902C 903C 1002 1003</p> <p>6 → ∅300 7 → ∅350 8 → ∅450</p> <p>1102 1103</p> <p>7 → ∅350 8 → ∅450</p>	<p>-F</p> <p>Flange Flangia</p>  <p>B5</p> <p>-A=56 (∅120) -B=63 (∅140) -C=71 (∅160) -D=80 (∅200) -E=90 (∅200) -F=100÷112 (∅250) -G=132 (∅300) -H=160 (∅350) -I=180 (∅350) -L=200 (∅400) CA=225 (∅450)</p> <p>B14</p> <p>-O=56 (∅80) -P=63 (∅90) -Q=71 (∅105) -R=80 (∅120) -T=90 (∅140) -U=100÷112 (∅160) -V=132 (∅200)</p> <p>Type R Tipo R</p>  <p>503C</p> <p>-1 → ∅14</p> <p>502C 703C 803C</p> <p>-2 → ∅19</p> <p>702C 802C 853C 903C</p> <p>-3 → ∅24</p> <p>852C 902C 1003 1103</p> <p>-4 → ∅28</p> <p>1002 1102</p> <p>-6 → ∅42</p> <p>Without flange Senza flangia</p>  <p>-M → With coupling 503C</p> <p>-Z → ∅9 (56B5) -0 → ∅11 (63B5) -1 → ∅14 (71B5)</p> <p>502C 703C 803C</p> <p>-1 → ∅14 (71B5) -2 → ∅19 (80B5) -3 → ∅24 (90B5)</p> <p>702C 802C 853C 903C</p> <p>-2 → ∅19 (80B5) -3 → ∅24 (90B5) -4 → ∅28 (100B5)</p> <p>501C</p> <p>-4 → ∅28 (100B5)</p>	<p>B</p>  <p>A</p>  <p>B</p> <p>STANDARD</p>  <p>C</p>  <p>D</p>	<p>B3</p>  <p>B3</p> <p>STANDARD</p>  <p>B6</p>  <p>B7</p>  <p>B8</p>  <p>V5</p>  <p>V6</p>  <p>V8</p>	<p>-</p> <p>0</p> <p>Without coupling Senza giunto</p>  <p>-</p> <p>Nothing indication: standard bore</p> <p>Nessuna indicazione: foro standard</p> <p>COUPLING</p>  <p>A = 9mm B = 11mm C = 14mm D = 19mm E = 24mm F = 28mm</p>